

LAYOUT
ESC: 1/25

EQUIPMENT LEGEND

Eq01 - Washbasin tap.
Eq02 - Shower.
Eq03 - White ceramic washbasin.
Eq04 - White ceramic toilet.
Eq05 - White ceramic urinal.
Eq06 - Plastic partition for toilets equipped with toilet paper box.
Eq07 - Plastic urinal divider.

Eq08 - Mirror.
Eq09 - Marble worktop.
Eq10 - Stainless steel sink.
Eq12 - Toilet for PMR sanitary installations.
Eq13 - Stainless steel support bar for PMR toilets.
Eq14 - Stainless steel support bar for PMR toilets.
Eq15 - Ceramic washbasin for PMR sanitary facilities.

Eq17 - Stainless steel support bar for PMR toilets.
Eq18 - Plastic lockers.
Eq19 - Integrated finish cabinet and door panel, with medium density fiberboard as principal material, premium baking varnish board as surface veneer.
Eq20 - Integrated cabinet countertop, with medium density fiberboard as principal material, PVC applied as surface veneer.
Eq21 - Stainless steel dishwasher with 2 bowls.

Eq22 - Space-saving siphon for 2 sinks.
Eq23 - Toilet roll holder with lid.
Eq24 - Toilet brush and floor-mounted toilet brush holder.
Eq25 - SL stainless steel trash can with lid.
Eq26 - Dishwasher.
Eq27 - Refrigerator with integrated freezer compartment.

Eq28 - Liquid soap dispenser.
Eq29 - Paper towel dispenser.
Eq30 - Automatic hand dryer in stainless steel.
Eq31 - Mirror for PMR toilets.
Eq32 - Tap for PMR toilets.

MATERIALS LEGEND

PAV 01 - 10mm thick porcelain tiles, laid with 20mm thick fine cement mortar, 1:3 dry cement.

PAV 02 - Anti-slip porcelain tiles, 10mm thick, laid with 30mm thick 1:3 dry cement mortar, with a 2.0mm thick polymer cement waterproof coating.

LEGEND FOR WALLS AND COVERINGS

PAR 01 - Painted interior wall, to be plastered on two sides, 1:2 cement mortar 6 mm thick, well plastered, 1:3 cement mortar 9 mm thick. Base wall (to be painted white, special interfacial agent, one coat).


PAR 02 - Interior wall clad with 10 mm thick tiles, applied on white 1:1 cement mortar with 4 mm thickness and 20% water content, (a cement paste bonding layer). Waterproof polymer cement coating 1.5 mm thick along the entire length. 9mm thick 1:3 cement mortar well compacted and plastered to be painted white with a special interfacial agent.

CEILING LEGEND


TEC 02 - Interior false ceiling in 2.5 mm thick aluminum alloy plate (PVC) fixed with self-tapping screws light steel beams (double layer): intervals between main beams equal to 900-1000mm, intervals between smaller beams equal to 600mm, intervals between transverse beams equal to 600mm reserve at the bottom of the frame 8 suspension bars, with an average bidirectional interval of 900-1200.

STONEMWORK LEGEND


PEI 01 - Sill made of 1:2.5 cement mortar, 20 mm thick, well bonded and finished, cement mortar connecting one layer to the other, c12/15 concrete, 100 mm thick, simple soil compaction and 4% outward slope.




SECTION B
ESC: 1/25



SECTION A
ESC: 1/25



SECTION B'
ESC: 1/25



SECTION A'
ESC: 1/25

Engineer Approval Codes

Code Nr	Condition	Signature Employer's Representative	Date
Code 1			
Code 2			
Code 3			

00	First Submittals	07/09/2024	
REVISION	DESCRIPTION	DATE	CHECKED

EMPLOYER
PORTO DE CAIO CABINDA
Caioperto S.A.
Avenida Comandante Gika n °150
CP 1276 Sagrada Família
Luanda, Angola

EMPLOYER'S REPRESENTATIVE/ENGINEER
Sellhorn **HPC**
INGENIEURGESELLSCHAFT
Selhorn Ingenieurgesellschaft mbH
Teufeld 5, D-20459 Hamburg, Germany
Tel: +49 (40) 36 12 01-0
Fax: +49 (40) 36 12 01-28
E-Mail: info@sellhorn-hamburg.de
www.sellhorn-hamburg.de

CONSULTANT
Sellhorn **HPC**
INGENIEURGESELLSCHAFT
Selhorn Ingenieurgesellschaft mbH
Teufeld 5, D-20459 Hamburg, Germany
Tel: +49 (40) 36 12 01-0
Fax: +49 (40) 36 12 01-28
E-Mail: info@sellhorn-hamburg.de
www.sellhorn-hamburg.de

CONTRACTOR
RB
China Road and Bridge Corporation
R. Fomao Mendes Pinto 65
Avalade, Luanda, Angola
Fax: +244 22 232 7003
http://www.crbc.com/

PROJECT
The Project of the New Port of Caio in Cabinda

DRAWING TITLE
**1018 ISPS Building
Detail Zone_Men's changing room_Male_I.S
Male washbasin.**

DESIGNED BY	DRAWN BY	CHECKED BY	SCALE	DRAWING N°
DATE	28/01/2025	/ / 2025	/ / 2025	
NAME				
DESIGN STAGE	FINAL DESIGN			

1:25

00.11