



ELEVATION 1-1:1:50




ELEVATION 2-2:1:50



10MM THICK PORCELAIN TILE WELL LAID, THIN CEMENT PASTE PITCHING
20MM THICK 1:3 CEMENT MORTAR
150MM THICK C35/45 CONCRETE WITH T10-200 WIREMESH INSIDE
FULLY-SPREAD ONE LAYER OF 0.4MM THICK POLYETHYLENE FILM
100MM THICK C12/15 CONCRET, LEVELED AND SMOOTH-FINISHED WITH THE ORIGINAL GROUT AFTER POURING, SCREED LAYER)
GEOTEXTIL 150G/ M²
150MM THICK CRUSHED STONES
PLAIN SOIL COMPACTION

ELEVATION 2-2:1:50


10MM THICK CERAMIC TILE WELL LAID, THIN CEMENT PASTE PITCHING
30MM THICK 1:3 CEMENT MORTAR
2MM THICK POLYMER WATERPROOF COATING, 300MM ABOVE FLOOR ON ALL SIDE
30MM THICK FINE AGGREGATE CONCRETE AT THE TURNST PART, LEVELED AND SMOOTH-FINISHED WITH THE ORIGINAL GROUT AFTER POURING
CEMENT PASTE ONE COURSE
150MM THICK C35/45 CONCRETE WITH T10-200 WIREMESH INSIDE
FULLY-SPREAD ONE LAYER OF 0.4MM THICK POLYETHYLENE FILM
100MM THICK C12/15 CONCRET, LEVELED AND SMOOTH-FINISHED WITH THE ORIGINAL GROUT AFTER POURING, SCREED LAYER)
GEOTEXTIL 150G/ M²
150MM THICK CRUSHED STONES
PLAIN SOIL COMPACTION



ELEVATION 1-1:1:50


10MM THICK PORCELAIN TILE WELL LAID, THIN CEMENT PASTE PITCHING
20MM THICK 1:3 CEMENT MORTAR
150MM THICK C35/45 CONCRETE WITH T10-200 WIREMESH INSIDE
FULLY-SPREAD ONE LAYER OF 0.4MM THICK POLYETHYLENE FILM
100MM THICK C12/15 CONCRET, LEVELED AND SMOOTH-FINISHED WITH THE ORIGINAL GROUT AFTER POURING, SCREED LAYER)
GEOTEXTIL 150G/ M²
150MM THICK CRUSHED STONES
PLAIN SOIL COMPACTION

10MM THICK PORCELAIN TILE WELL LAID, THIN CEMENT PASTE PITCHING
20MM THICK 1:3 CEMENT MORTAR
150MM THICK C35/45 CONCRETE WITH T10-200 WIREMESH INSIDE
FULLY-SPREAD ONE LAYER OF 0.4MM THICK POLYETHYLENE FILM
100MM THICK C12/15 CONCRET, LEVELED AND SMOOTH-FINISHED WITH THE ORIGINAL GROUT AFTER POURING, SCREED LAYER)
GEOTEXTIL 150G/ M²
150MM THICK CRUSHED STONES
PLAIN SOIL COMPACTION




ELEVATION 3-3:1:50

10MM THICK PORCELAIN TILE WELL LAID, THIN CEMENT PASTE PITCHING
20MM THICK 1:3 CEMENT MORTAR
150MM THICK C35/45 CONCRETE WITH T10-200 WIREMESH INSIDE
FULLY-SPREAD ONE LAYER OF 0.4MM THICK POLYETHYLENE FILM
100MM THICK C12/15 CONCRET, LEVELED AND SMOOTH-FINISHED WITH THE ORIGINAL GROUT AFTER POURING, SCREED LAYER)
GEOTEXTIL 150G/ M²
150MM THICK CRUSHED STONES
PLAIN SOIL COMPACTION







ELEVATION 4-4:1:50

10MM THICK PORCELAIN TILE WELL LAID, THIN CEMENT PASTE PITCHING
20MM THICK 1:3 CEMENT MORTAR
150MM THICK C35/45 CONCRETE WITH T10-200 WIREMESH INSIDE
FULLY-SPREAD ONE LAYER OF 0.4MM THICK POLYETHYLENE FILM
100MM THICK C12/15 CONCRET, LEVELED AND SMOOTH-FINISHED WITH THE ORIGINAL GROUT AFTER POURING, SCREED LAYER)
GEOTEXTIL 150G/ M²
150MM THICK CRUSHED STONES
PLAIN SOIL COMPACTION



NOTE:
ALL DIMENSIONS SHOWN IN THE DRAWING ARE IN MILLIMETER (MM), AND ALL LEVELS OR ELEVATIONS ARE IN METER (M) UNLESS OTHERWISE SPECIFIED.

LEGENDS		
	RAL 9016	RAL COLOR SYSTEM
	RAL 7036	
	REINFORCED CONCRETE	
	CONCRETE	
	RAMMED EARTH	
	ROCK WOOL BOARD	
	EXTERIOR WALL OF OFFICE CONTAINER (RAL 9016)	
	CONCRETE HOLLOW BRICK	
	MU5 CONCRETE HOLLOW BRICK (CONCRETE FILLING C20/25)	
	CRUSHED STONES	

Engineer Approval Codes				
Code Nr	Condition	Signature Employer's Representative	Date	
Code 1	Noted Work may proceed.			
Code 2	Noted with comments Work may proceed.			
Code 3	Rejected Work may not proceed. Revise and re-submit.			
01	Revised according to RAD-CRBC-134(ARCH Part)	23/03/2024	✓ - nll	
00	First Submittal	20/12/2024	✓ - nll	
REVISION	DESCRIPTION	DATE	CHECKED	
EMPLOYER				
		Caioporto S.A. Avenida Comandante Gika n° 150 CP 1276 Sagrada Família Luanda, Angola		
EMPLOYER'S REPRESENTATIVE/ENGINEER				
		Sellhorn Ingenieurgesellschaft mbH Tollstedt 5, D-20489 Hamburg, Germany Tel: +49 (0) 30 12 01-0 Fax: +49 (0) 30 12 01-30 E-Mail: info@sellhorn-hamburg.de www.sellhorn-hamburg.de		
CONSULTANT				
		Sellhorn Ingenieurgesellschaft mbH Tollstedt 5, D-20489 Hamburg, Germany Tel: +49 (0) 30 12 01-0 Fax: +49 (0) 30 12 01-30 E-Mail: info@sellhorn-hamburg.de www.sellhorn-hamburg.de		
CONTRACTOR				
		China Road and Bridge Corporation R. Fátima Mendes Pinto 55 Avenida, Luanda, Angola Fax: +244 22 222 7035 http://www.crbcc.com		
PROJECT				
The Project of the New Port of Caio in Cabinda				
DRAWING TITLE				
Onshore Buildings_Personal Gate Elevations and Sections				
DRAWING TITLE				
DESIGNED BY	DRAWN BY	CHECKED BY	SCALE	DRAWING N°
DATE	20/03/2025	22/03/2025	23/03/2025	
NAME	张吉	李一明	✓ - nll	1:50
DESIGN STAGE	DETAILED DESIGN			LOT1_DD_1021-A-06