






MAP OF CARPENTRY OPENINGS AND PHENOLIC PARTITIONS
SCALE:1/50


| | |
|--|---|
| PC01 | 2 Unidades |
|  | |
| LOCATION | Level 0 - 0.03 - Disable toilet; Level 1 - Disable toilet. |
| DIMENSIONS | Doorway 1.00x2.10m. |
| DESCRIPTION | Door of a sliding leaf, composed of a solid wood frame and phenolic panel leaf. |
| MATERIAL | FRAME Solid wood frame. |
| DOOR LEAF | Lightened door leaf in FUNDERMAX COMPACT phenolic panels 3 mm thick on each side, interior in 30 mm thick extruded polystyrene. |
| FINISHING | Medium gloss lacquer finish RAL 9010. |
| THRESHOLD/RILL | |
| HINGES | According to the specified series. |
| LOCK | According to the specified series. |
| HANDLES | According to the specified series. |
| OBSERVATIONS | All dimensions must be verified on site. |


| | |
|--|---|
| PC02 | 8 Unidades |
|  | |
| LOCATION | Level 0 - Toilets and shower - Men and Women Level 1 - Toilets and shower - Men and Women |
| DIMENSIONS | Doorway 0.95x2.10m. |
| DESCRIPTION | Sweeping single-leaf doorway, made up of a solid wood frame and a phenolic panel leaf. |
| MATERIAL | FRAME Aro em madeira maciça. |
| DOOR LEAF | Lightened door leaf in FUNDERMAX COMPACT phenolic panels 3 mm thick on each side, interior in 30 mm thick extruded polystyrene. |
| FINISHING | Acabamento lacado meio brilho RAL 9010 |
| THRESHOLD/RILL | |
| HINGES | According to the specified series. |
| LOCK | According to the specified series. |
| HANDLES | According to the specified series. |
| OBSERVATIONS | All dimensions must be verified on site. |


| | |
|---|--|
| Eq06 | 2 Unidades |
|  | |
| LOCATION | Level 0 - 0.09 - Toilets Men's Level 1 - 1.22 - Toilets Men's |
| DIMENSIONS | Partition with 4.75x1.90m. |
| DESCRIPTION | Phenolic panels with 12mm thickness in Grey 0741. |
| MATERIAL | FRAME Phenolic panels with 12mm thickness in Grey 0741. |
| DOOR LEAF | |
| FINISHING | Smooth mid-gloss finish in light grey |
| THRESHOLD/RILL | |
| HINGES | According to the specified series. |
| LOCK | According to the specified series. |
| HANDLES | According to the specified series. |
| OBSERVATIONS | All dimensions must be verified on site. |


| | |
|--|--|
| Eq06 | 2 Unidades |
|  | |
| LOCATION | Level 0 - 0.05 - Toilets Women's Level 1 - 1.18 - Toilets Women's |
| DIMENSIONS | Partition with 2.85x1.90m. |
| DESCRIPTION | Phenolic panels with 12mm thickness in Grey 0741. |
| MATERIAL | FRAME Phenolic panels with 12mm thickness in Grey 0741. |
| DOOR LEAF | |
| FINISHING | Smooth mid-gloss finish in light grey |
| THRESHOLD/RILL | |
| HINGES | According to the specified series. |
| LOCK | According to the specified series. |
| HANDLES | According to the specified series. |
| OBSERVATIONS | All dimensions must be verified on site. |


| | |
|--|--|
| Eq07 | 12 Unidades |
|  | |
| LOCATION | Piso 0 - 0.05 - Toilets Women's, 0.09 - Toilets Men's; Piso 1 - 1.18 - Toilets Women's, 1.22 - Toilets Men's |
| DIMENSIONS | Partition with 1.55x1.90m. |
| DESCRIPTION | Phenolic panels with 12mm thickness in Grey 0741. |
| MATERIAL | FRAME Phenolic panels with 12mm thickness in Grey 0741. |
| DOOR LEAF | |
| FINISHING | Smooth mid-gloss finish in light grey |
| THRESHOLD/RILL | |
| HINGES | According to the specified series. |
| LOCK | According to the specified series. |
| HANDLES | According to the specified series. |
| OBSERVATIONS | All dimensions must be verified on site. |


| | |
|---|--|
| Eq06 | 6 Unidades |
|  | |
| LOCATION | Level 0 - 0.07 - Shower Women's, 0.11 - Shower Men's; Level 1 - 1.20 - Shower Women's, 1.24 - Shower Men's |
| DIMENSIONS | Partition with 1.30x1.90m. |
| DESCRIPTION | Phenolic panels with 12mm thickness in Grey 0741. |
| MATERIAL | FRAME Phenolic panels with 12mm thickness in Grey 0741. |
| DOOR LEAF | |
| FINISHING | Smooth mid-gloss finish in light grey |
| THRESHOLD/RILL | |
| HINGES | According to the specified series. |
| LOCK | According to the specified series. |
| HANDLES | According to the specified series. |
| OBSERVATIONS | All dimensions must be verified on site. |


| | |
|--|--|
| Eq06 | 42 Unidades |
|  | |
| LOCATION | Piso 0 - 0.07 - Bath, Mulheres, 0.11 - Bath, Homens; Piso 1 - 1.20 - Bath, Mulheres, 1.24 - Bath, Homens |
| DIMENSIONS | Partition with 1.30x1.90m. |
| DESCRIPTION | Phenolic panels with 12mm thickness in Grey 0741. |
| MATERIAL | FRAME Phenolic panels with 12mm thickness in Grey 0741. |
| DOOR LEAF | |
| FINISHING | Smooth mid-gloss finish in light grey |
| THRESHOLD/RILL | |
| HINGES | According to the specified series. |
| LOCK | According to the specified series. |
| HANDLES | According to the specified series. |
| OBSERVATIONS | All dimensions must be verified on site. |

| | |
|--|--|
| Eq06 | 10 Unidades |
|  | |
| LOCATION | Piso 0 - 0.07 - Bath, Mulheres, 0.11 - Bath, Homens; Piso 1 - 1.20 - Bath, Mulheres, 1.24 - Bath, Homens |
| DIMENSIONS | Partition with 0.14x1.90m. |
| DESCRIPTION | Phenolic panels with 12mm thickness in Grey 0741. |
| MATERIAL | FRAME Phenolic panels with 12mm thickness in Grey 0741. |
| DOOR LEAF | |
| FINISHING | Smooth mid-gloss finish in light grey |
| THRESHOLD/RILL | |
| HINGES | According to the specified series. |
| LOCK | According to the specified series. |
| HANDLES | According to the specified series. |
| OBSERVATIONS | All dimensions must be verified on site. |

| | |
|---|--|
| Eq07 | 1 Unidade |
|  | |
| LOCATION | Piso 0 - 0.37 - Instalação Sanit. Mulheres |
| DIMENSIONS | Partition with 2.20x1.90m. |
| DESCRIPTION | Phenolic panels with 12mm thickness in Grey 0741. |
| MATERIAL | FRAME Phenolic panels with 12mm thickness in Grey 0741. |
| DOOR LEAF | |
| FINISHING | Smooth mid-gloss finish in light grey |
| THRESHOLD/RILL | |
| HINGES | According to the specified series. |
| LOCK | According to the specified series. |
| HANDLES | According to the specified series. |
| OBSERVATIONS | All dimensions must be verified on site. |

| | |
|--|--|
| Eq07 | 1 Unidade |
|  | |
| LOCATION | Piso 0 - 0.35 - Instalação Sanit. Homens |
| DIMENSIONS | Partition with 2.86x1.90m. |
| DESCRIPTION | Phenolic panels with 12mm thickness in Grey 0741. |
| MATERIAL | FRAME Phenolic panels with 12mm thickness in Grey 0741. |
| DOOR LEAF | |
| FINISHING | Smooth mid-gloss finish in light grey |
| THRESHOLD/RILL | |
| HINGES | According to the specified series. |
| LOCK | According to the specified series. |
| HANDLES | According to the specified series. |
| OBSERVATIONS | All dimensions must be verified on site. |


| | |
|---|---|
| Eq07 | 4 Unidades |
|  | |
| LOCATION | Piso 0 - 0.35 - Instalação Sanit. Homens, 0.37 - Instalação Sanit. Mulheres |
| DIMENSIONS | Partition with 1.40x1.90m. |
| DESCRIPTION | Phenolic panels with 12mm thickness in Grey 0741. |
| MATERIAL | FRAME Phenolic panels with 12mm thickness in Grey 0741. |
| DOOR LEAF | |
| FINISHING | Smooth mid-gloss finish in light grey |
| THRESHOLD/RILL | |
| HINGES | According to the specified series. |
| LOCK | According to the specified series. |
| HANDLES | According to the specified series. |
| OBSERVATIONS | All dimensions must be verified on site. |


| | |
|---|---|
| Eq07 | 12 Unidades |
|  | |
| LOCATION | Piso 0 - 0.9 - Inst. Sanit. Homens, Piso 1 - 1.22 - Inst. Sanit. Homens |
| DIMENSIONS | Partition with 0.60x1.00m. |
| DESCRIPTION | Phenolic panels with 12mm thickness in Grey 0741. |
| MATERIAL | FRAME Phenolic panels with 12mm thickness in Grey 0741. |
| DOOR LEAF | |
| FINISHING | Smooth mid-gloss finish in light grey |
| THRESHOLD/RILL | |
| HINGES | According to the specified series. |
| LOCK | According to the specified series. |
| HANDLES | According to the specified series. |
| OBSERVATIONS | All dimensions must be verified on site. |

| Engineer Approval Codes | | | |
|-------------------------|-----------|--|------|
| Code Nr | Condition | Signature Employer's Representative | Date |
| Code 1 | | | |
| Code 2 | | | |
| Code 3 | | | |

| | | | |
|----------|------------------|------------|---------|
| 00 | First Submittals | 07/09/2024 | |
| REVISION | DESCRIPTION | DATE | CHECKED |

| | | |
|----------|--|--|
| EMPLOYER |  CAIO CABINDA | Caioporto S.A. Avenida Comandante Gika n º150 CP 1276 Sagrada Família Luanda, Angola |
|----------|--|--|

| | | |
|------------------------------------|---|---|
| EMPLOYER'S REPRESENTATIVE/ENGINEER |  Sellhorn HPC INGENIEURGESELLSCHAFT | Sellhorn Ingenieurgesellschaft mbH Teufeld 5, D-20459 Hamburg, Germany Tel: +49 (40) 36 12 01-0 Fax: +49 (40) 36 12 01-28 E-Mail: info@sellhorn-hamburg.de www.sellhorn-hamburg.de |
|------------------------------------|---|---|

| | | |
|------------|---|---|
| CONSULTANT |  Sellhorn HPC INGENIEURGESELLSCHAFT | Sellhorn Ingenieurgesellschaft mbH Teufeld 5, D-20459 Hamburg, Germany Tel: +49 (40) 36 12 01-0 Fax: +49 (40) 36 12 01-28 E-Mail: info@sellhorn-hamburg.de www.sellhorn-hamburg.de |
|------------|---|---|

| | | |
|------------|---|---|
| CONTRACTOR |  CRBC | China Road and Bridge Corporation R. Fomao Mendes Pinto 65 Avalade, Luanda, Angola Fax: +244 22 232 7003 http://www.crbc.com/ |
|------------|---|---|

| | |
|---------|--|
| PROJECT | The Project of the New Port of Caio in Cabinda |
|---------|--|

| DRAWING TITLE | | | | | |
|---|--------------|----------|------------|-------|------------|
| 1015 One Stop Building Map of Carpentry Openings and Phenolic Partitions | | | | | |
| | DESIGNED BY | DRAWN BY | CHECKED BY | SCALE | DRAWING N° |
| DATE | 20/01/2025 | / /2025 | / /2025 | 1:50 | 01.17 |
| NAME | | | | | |
| DESIGN STAGE | FINAL DESIGN | | | | |